




# ROOFSHAKE 40


ARCHITECTURAL SHINGLES

Color Featured: Charcoal Grey






Dual Black




Charcoal Grey




Harvard Slate




Dual Grey




Driftwood




Dual Brown



Aged Redwood



Weatherwood



Earthtone Cedar

Color Featured: Weatherwood



Color Featured: Dual Black

## RoofShake 40

ARCHITECTURAL SHINGLES

At IKO, we believe an exceptional roof must start with a bold design, provide lasting value and enhance curb appeal. After all, our clients demand superior performance and classic detailing.

IKO Roofshake 40 angled-cut shingles deliver on our commitment for innovation. From every perspective, Roofshake displays the characteristics of wood shake shingles, with superior quality and performance.

This heavyweight, laminated shingle has the appearance of hand craftsmanship and unparalleled vibrancy. Roofshake 40 – and its Limited 40-Year Warranty – provide an excellent return on your investment.

A Handsome Addition - IKO Roofshake 40's larger size and angled cuts add significant dimension to these premium fiberglass asphalt shingles.

- Built-in protection from the double layer of heavy fiberglass mat and sturdy modified sealant
- 5-Year IKO Iron Clad Protection<sup>1</sup>
- Limited 40-Year Warranty<sup>1</sup>
- Carries a Limited Wind Warranty coverage up to 80 mph (128 km/h); upgrade to 110 mph (177 km/h)<sup>1</sup>

<sup>1</sup>See Limited Warranty and shingle application instructions for complete information.



**Unmistakable Quality**

**IKO Roofshake 40's advanced design enables it to endure severe weather – including wind and fire.**

## Product Specifications

### Roofshake 40

Length

40 7/8 in  
(1038 mm)

Width

13 3/4 in  
(349 mm)

Exposure

5 7/8 in  
(149 mm)

Coverage  
Per Bundle

Canada  
33.3 ft<sup>2</sup>  
(3.1 m<sup>2</sup>)  
Western  
U.S.A. & B.C.  
Canada  
25 ft<sup>2</sup>  
(2.32 m<sup>2</sup>)

Standards<sup>1</sup>

ASTM D3462  
ASTM D3018  
ASTM D3161 - Class F  
ASTM E108 - Class A  
ASTM D7158 - Class H  
CSA A123.5  
CSA A123.51  
CSA A123.52

Limited  
Warranty<sup>1</sup>



Limited  
40-Year

Iron Clad  
Protection<sup>1</sup>

5  
Years

Limited  
Wind Warranty<sup>1</sup>

80 mph  
(128 kph)

Upgraded Limited  
Wind Warranty<sup>1</sup>

110 mph  
(177 kph)

Note: All values shown are approximate. <sup>1</sup>Product is designed and tested to comply with ASTM/CSA Standards at time of manufacture prior to packaging. <sup>2</sup>See Limited Warranty and shingle application instructions for complete information.



IKO has developed a superior multi-layered roofing system incorporating our industry-leading products. IKO's Pro 4 Roofing System is setting the standard in protecting your home. Along with one of IKO's quality shingles, your Pro 4 system includes at least 3 of these accessory products.



### Eave Protection

GoldShield, ArmourGard, or StormShield Ice & Water Protectors



### Underlayment

Asphalt Saturated Felt\*, RoofGard-SB or RoofGard-Cool Grey Underlayments



### Roof Starters

Leading Edge Plus or Leading Edge Starter Strips



### Ridge Cap Shingles

Marathon Ultra AR, Hip and Ridge, Hip & Ridge 12 Cap Shingles or Ultra HP High Profile Ridge Cap Shingles



Color Featured: Dual Black

Shingle Swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction please make your final color selection from several full size shingles and view a sample of the product installed on a home. The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.

\*Product Availability may vary by region.

Find out more about our products now by talking to an **IKO** Sales Representative, your professional roofing contractor or contact us directly at:

United States 1-888-IKO-ROOF

Eastern Canada 1-888-766-2468

Western Canada 1-800-661-1034

or visit our web site at: [www.iko.com](http://www.iko.com)

